
Rise Stand SKU: TCDP04, TCDP04W, TCDP01, TCDP01W

Assembly Instructions


COMPULOCKS

1

COUNTER MOUNTING PATTERN




SCREW BOTTOM PLATE TO THE COUNTER
USING #14 X 1½" PHILLIPS PAN HEAD
SHEET METAL SCREWS (PROVIDED)




2

ROUTE CHARGING CABLE
THROUGH THE STAND AS SHOWN



A - INLET
B - BACK SHAFT EXIT
C - BASE EXIT

3




ROUTE CHARGING CABLE
THROUGH ENCLOSURE
OR VESA MOUNT.
INSTALL ON STAND USING
M4 X 8mm PHILLIPS
PAN HEAD SCREWS
(PROVIDED)

©Compulocks Brands Inc. All Rights Reserved


4

ATTACH CHARGING CABLE TO
THE TABLET, LEAVE A SMALL LOOP
OF CABLE BENEATH THE TABLET





5

INSTALL THE ENCLOSURE TOP PLATE/VESA
MOUNT PER THEIR INSTRUCTIONS




Tilt Tension Adjustments





ADJUST HINGE TENSION
USING WRENCH (PROVIDED)

IN THE BOX




T30 TORX L-Wrench



M4 X 8mm
Philips Pan Head Screws



#14 X 1½"
Phillips Pan Head Sheet Metal Screws



Rise Pole Stand

©Compulocks Brands Inc. All Rights Reserved


PowerMove Dock Station SKU: PMDOCK01

Assembly Instructions


COMPULOCKS

Mounting Options

1 Floor Stand Mounting




2 Counter Stand Mounting




USE M4 x 10mm PIN-IN-TORX
BUTTON HEAD SCREWS PROVIDED.
TIGHTEN USING PROVIDED
TORX SCREWDRIVER

3 Wall Arm Mounting




USE M4 x 10mm PIN-IN-TORX
BUTTON HEAD SCREWS PROVIDED.
TIGHTEN USING PROVIDED
TORX SCREWDRIVER

4 Direct Mounting To Wall



MOUNTING SCREWS
NOT PROVIDED

Optional Add-On: Portrait To Landscape Rotation Plate




USE M4 x 10mm PIN-IN-TORX BUTTON
HEAD SCREWS PROVIDED TO
FIX TO ROTATION PLATE. TIGHTEN USING
PROVIDED TORX SCREWDRIVER.
USE SCREWS PROVIDED WITH ROTATION PLATE
TO SECURE TO STAND or ARM

©Compulocks Brands Inc. All Rights Reserved


Placing Tablet with Connector to Dock Station

1




USE KEY TO UNLOCK THE LOCK.
REMOVE KEY

2




ALIGN CONNECTOR TO DOCK STATION

3



APPLY LIGHT PRESSURE.
LATCH WILL ENGAGE


4



PUSH LOCK BUTTON TO SECURE
TABLET TO DOCK STATION


Removing Tablet with Connector from Dock Station

1




PRIOR TO PULLING LATCH,
UNLOCK LOCK USING KEY

2




PULL LATCH FORWARD

3




GENTLY PULL UP TO RELEASE

4




©Compulocks Brands Inc. All Rights Reserved

Tablet Charge PD Compatible




Tablet Data and Charge PD Compatible




IN THE BOX



Keys



Hardware Kit



PowerMove Dock Station


©Compulocks Brands Inc. All Rights Reserved

PowerMove Connector SKU: PMCON01

Assembly Instructions

COMPULOCKS


1




USING ALCOHOL PAD PROVIDED,
CLEAN 130mm SQUARE AREA CENTERED ON THE BACK OF THE TABLET.
ALLOW TO AIR DRY

2

SELECT THE ORIENTATION
OF THE CONNECTOR ON THE TABLET




3



INSTALL RIGHT ANGLE USB-C CABLE
AS SHOWN

4

PASS CONNECTOR THROUGH CASE*
AND INSTALL CASE ON TABLET




*CASE SOLD SEPARATELY

©Compulocks Brands Inc. All Rights Reserved

5

REMOVE COVERS TO EXPOSE
ADHESIVE ON ALL 4 PADS




NOTE:
TABLET AND CONNECTOR SHOULD BE AT
ROOM TEMPERATURE FOR BEST RESULTS

6


CENTER CONNECTOR ON OPENING
IN CASE AND ADHERE TO TABLET WITH MILD PRESSURE

FEED CABLE UNDER CASE
AS NEEDED




FOR BEST PERFORMANCE ALLOW
CONNECTOR TO BOND TO TABLET FOR 12 HOURS.

IN THE BOX



Alcohol Wipes



PowerMove Connector

©Compulocks Brands Inc. All Rights Reserved